



3960 Howard Hughes Parkway, Suite 500, Las Vegas, NV 89109
(800) 731-2231, FAX: (800) 361-1558, sales@ndclean.com, www.ndclean.com

DISAPPEAR **Organic Graffiti/Adhesive/Paint Remover™**

DISAPPEAR Organic Graffiti/Adhesive/Paint Remover™ is our latest chemical engineering breakthrough, and features the highest quality natural, renewable ingredients in optimum balance to achieve maximum performance, safety and it is in compliance with California VOC regulations. Its features/benefits are surpassing anything that we have seen. You can use it indoor/outdoor in your facilities, buses, trains, trucks, street signs, walls, fences, etc. You can use it on all masonry, painted surfaces, wood, glass, metals, wood, upholstery, and carpets. This product can harm many plastics causing permanent damage. Test it on an inconspicuous plastic sample before using.

QUICKLY REMOVES - With Virtually No Odor In Use:

1. All graffiti spray paints, markers, inks, crayon and lipstick
2. Adhesives, tapes, decals, and bumper stickers
3. All chewing gums and bubble gums
4. All old glues/mastics on flooring after carpet removal

STRIPS MULTIPLE THICK COATS OF LATEX PAINTS WITH SUFFICIENT SOAKING TIME. This product is specially designed NOT to dry out when applied over paints, even after many hours of soaking time.

Use DISAPPEAR Organic Graffiti/Adhesive/Paint Remover™ for:

- INDOOR GRAFFITI CLEANING - because of its extremely low odor and amazing speed
- OUTDOOR GRAFFITI CLEANING - because it removes all graffiti paints very quickly - GUARANTEED!
- STRIPPING OF MULTIPLE THICK LAYERS OF LATEX PAINTS - because it has very long drying time and extremely low odor

**DISAPPEAR Organic Graffiti/Adhesive/Paint Remover™ is VOC COMPLIANT*:
only 165 g/l (per California Consumer Products Regulation).
It is safe & pleasant to use as directed!**

DIRECTIONS:

DISAPPEAR Organic Graffiti/Adhesive/Paint Remover™ can do permanent damage to many plastics such as Lexan XL® and Duraplex®. Always pre-test our product on a small inconspicuous area of plastic, or on a sample piece of the type plastic where our remover will be used before using it on the intended project area. USE AT FULL STRENGTH! Do Not Dilute This Product With Water. Be aware that the residue of the mixture of our product, paint, graffiti, adhesives and water should be disposed of properly according to State and Federal regulations. Do not use for graffiti removal from our ND GRAFFITI SHIELD™.

Graffiti Cleaning: Pour, or brush over graffiti and wait 1 - 5 minutes. Then, either scrub with a stiff bristled brush, or wipe off the graffiti with a rag. Repeat if necessary with a longer dwelling time. Rinse, or powerwash the area clean with water.

Paint Removal: (Water Based or Oil Based Paints): Pour, or brush and allow the product to work as long as necessary to bubble up/soften the paint. Scrape or brush off the loosened paint. Paint can be affected for removal very quickly depending on the number of coats of old paint and its age. This product will not dry out if left soaking on paint for hours, or overnight, if not left in a direct sunlight. Extra thick/tough multiple paints might require repeat of the treatment.

Adhesives (glues, tapes, labels, etc.): Liberally pour over area to be cleaned and let it soak until adhesives or gum softens (2-15 minutes). Remove tapes, labels, or chewing gum with a putty knife, or suitable implement. Reapply the product to remove any residue. Rinse with water. On carpets wipe the area with a damp cloth and blot dry. Warning: This product can loosen glues of carpet backing on some types of carpets.

Chewing Gum Removal: Apply liberally over chewing gum and immediately begin to edge the gum off with a putty knife keeping both wet with our product. For larger areas, soak the sidewalk liberally with our product and allow it to soak on the chewing gum for at least 20 minutes. Then, powerwash the chewing gum off the sidewalk.

CAUTION: Harmful if swallowed. Use chemical resistant gloves and safety glasses when using this product. Use with adequate ventilation.

COMBUSTIBLE - Do not heat nor use near open flame.

FIRST AID: Inhalation: If affected, remove to fresh air. Eye Contact: Flush with tepid water for 15 minutes, lifting upper and lower lids. Ingestion: DO NOT CAUSE VOMITING. Drink two glasses of water. Consult Physician. Skin Contact: Wash with soap and water.

PACKING : 55 Gallon Drums, 5 Gallon Pails, Quarts

05/24/2010

